

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

	ProLine (Particle Board)	ProDesigner (Plywood)	Frameless Particle Board	Frameless Plywood
GENERAL CONSTRUCTION	FRAMED CONSTRUCTION. PARTICLE BOARD CASE WITH SOLID WOOD FACE FRAMES, DOORS, DRAWER FRONTS, AND DRAWER BOXES.	FRAMED CONSTRUCTION. PLYWOOD CASE WITH SOLID WOOD FACE FRAMES, DOORS, DRAWER FRONTS, AND DRAWER BOXES. OPTIONAL 3/4" CONSTRUCTION.	PARTICLE BOARD CASE	PLYWOOD CASE
FRONT FRAMES	3/4" THICK SOLID WOOD WITH 1 1/2" WIDE STILES AND RAILS UNLESS OTHERWISE SPECIFIED. BLIND MORTISE AND TENON JOINTS.	3/4" THICK SOLID WOOD WITH 1 1/2" WIDE STILES AND RAILS UNLESS OTHERWISE SPECIFIED. BLIND MORTISE AND TENON JOINTS.	NO FRAME. PVC EDGE BANDING TO COMPLEMENT DOOR FINISH FOR THERMO AND DLV OFFERING. MATCHING WOOD VENEER EDGE BANDING FOR WOOD DOOR STYLES.	NO FRAME. MATCHING WOOD VENEER EDGE BANDING FOR WOOD DOOR STYLES.
CABINET SIDES	1/2" THICK PARTICLE BOARD WITH NATURAL MAPLE WOODGRAIN MELAMINE ON BOTH SIDES.	1/2" THICK WITH MAPLE/BIRCH VENEER ON BOTH SIDES. INTERIOR FINISHED NATURAL.	3/4" PARTICLE BOARD.	3/4" PLYWOOD.
FINISHED SIDES	SPECIE SPECIFIC WOOD VENEER OVER PLYWOOD CORE FINISHED TO MATCH CABINET FACES. THE SIDE IS POSITIONED WITH A 1/4" REVEAL TO THE EDGE OF THE FACE FRAME. OPTIONAL FLUSH FINISHED FACTORY SIDE 3/4" THICK, SET WITH RELIEF LINE WHERE SIDE MEETS FRAME. THERE IS A 1/16" TOLERANCE ON FLUSHNESS.	SPECIE SPECIFIC WOOD VENEER FINISHED TO MATCH CABINET FACES. THE SIDE IS POSITIONED WITH A 1/4" REVEAL TO THE EDGE OF THE FACE FRAME. OPTIONAL FLUSH FINISHED FACTORY SIDE 3/4" THICK, SET WITH RELIEF LINE WHERE SIDE MEETS FRAME. THERE IS A 1/16" TOLERANCE ON FLUSHNESS.	COMPLIMENTARY MCP BOARD FOR THERMO AND DLV OFFERING. SPECIE SPECIFIC WOOD VENEER FINISHED TO MATCH CABINET FACES, IN SOME CASES 3/4" PLYWOOD MUST BE USED DUE TO AVAILABILITY.	SPECIE SPECIFIC WOOD VENEER FINISHED TO MATCH CABINET FACES.

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

CABINET INTERIOR	<p>NATURAL MAPLE MELAMINE. FINISHED SIDES WILL BE WOOD VENEER FINISHED NATURAL. VENEER WILL BE BIRCH/MAPLE WHEN POSSIBLE. SOME WOOD SPECIES SUCH AS BAMBOO ARE ONLY AVAILABLE IN DOUBLE SIDED. IN THESE CASES, THE INTERIOR OF THE FINISHED SIDE WILL BE NATURAL ON THE SPECIE SPECIFIC VENEER. MATCHING FINISHED INTERIOR CABINETS WILL BE ALL PLYWOOD CONSTRUCTION.</p>	<p>BIRCH/MAPLE WOOD VENEER FINISHED NATURAL. FINISHED SIDES WILL BE BIRCH/MAPLE FINISHED NATURAL WHEN POSSIBLE. SOME WOOD SPECIES SUCH AS BAMBOO ARE ONLY AVAILABLE IN DOUBLE SIDED. IN THESE CASES, THE INTERIOR OF THE FINISHED SIDE WILL BE NATURAL ON THE SPECIE SPECIFIC VENEER.</p>	<p>COMPLIMENTARY MCP BOARD FOR THERMO AND DLV OFFERING. NATURAL MAPLE MELAMINE COVERED PARTICLE BOARD FOR WOOD DOORS. SOME WOOD SPECIES SUCH AS BAMBOO ARE ONLY AVAILABLE IN DOUBLE SIDED. IN THESE CASES, THE INTERIOR OF THE FINISHED SIDE WILL BE NATURAL ON THE SPECIE SPECIFIC VENEER. MATCHING FINISHED INTERIOR CABINETS WILL BE ALL PLYWOOD CONSTRUCTION.</p>	<p>NATURAL BIRCH/MAPLE WOOD VENEER OVER PLYWOOD CORE. SOME WOOD SPECIES SUCH AS BAMBOO ARE ONLY AVAILABLE IN DOUBLE SIDED. IN THESE CASES, THE INTERIOR OF THE FINISHED SIDE WILL BE NATURAL ON THE SPECIE SPECIFIC VENEER.</p>
CABINET TOPS	<p>1/2" THICK PARTICLE BOARD WITH NATURAL MAPLE MELAMINE. MOST BASE CABINETS, INCLUDING VANITIES, HAVE OPEN TOPS WITH 3/4" WOOD CORNER BLOCKS ON ALL CORNERS. BASE CORNER CABINETS – EXCEPT SINK BASES – HAVE SOLID TOPS.</p>	<p>1/2" THICK PLYWOOD WITH NATURAL BIRCH/MAPLE WOOD VENEER. MOST BASE CABINETS, INCLUDING VANITIES, HAVE OPEN TOPS WITH 3/4" WOOD CORNER BLOCKS ON ALL CORNERS. BASE CORNER CABINETS – EXCEPT SINK BASES – HAVE SOLID TOPS.</p>	<p>3/4" PARTICLE BOARD, MOST BASE CABINETS, INCLUDING VANITIES, HAVE OPEN TOPS WITH 3/4" THICK BY 3 3/4" WIDE STRINGERS FRONT AND BACK. STRINGERS ON SINK CABINETS ARE TURNED VERTICAL. BASE CORNER CABINETS – EXCEPT SINK BASES – HAVE SOLID TOPS.</p>	<p>3/4" PLYWOOD, MOST BASE CABINETS, INCLUDING VANITIES, HAVE OPEN TOPS WITH 3/4" THICK BY 3 3/4" WIDE STRINGERS FRONT AND BACK. STRINGERS ON SINK CABINETS ARE TURNED VERTICAL. BASE CORNER CABINETS – EXCEPT SINK BASES – HAVE SOLID TOPS.</p>

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

CABINET BOTTOMS	1/2" THICK PARTICLE BOARD WITH NATURAL MAPLE MELAMINE ON BOTH SIDES. IN SOME CASES THE GRAIN DIRECTION OF THE BASE CABINET FLOORS WILL BE FRONT TO BACK TO INCREASE SHEET GOOD YIELD. GRAIN WILL BE CONSISTENT WITHIN THE ORDER.	1/2" THICK PLYWOOD WITH NATURAL BIRCH/MAPLE WOOD VENEER ON BOTH SIDES. IN SOME CASES THE GRAIN DIRECTION OF THE BASE CABINET FLOORS WILL BE FRONT TO BACK TO INCREASE SHEET GOOD YIELD. GRAIN WILL BE CONSISTENT WITHIN THE ORDER.	3/4" PARTICLE BOARD, IN SOME CASES THE GRAIN DIRECTION OF THE BASE CABINET FLOORS WILL BE FRONT TO BACK TO INCREASE SHEET GOOD YIELD. GRAIN WILL BE CONSISTENT WITHIN THE ORDER.	3/4" PLYWOOD, IN SOME CASES THE GRAIN DIRECTION OF THE BASE CABINET FLOORS WILL BE FRONT TO BACK TO INCREASE SHEET GOOD YIELD. GRAIN WILL BE CONSISTENT WITHIN THE ORDER.
CABINET BACKS	1/2" PARTICLE BOARD	1/2" PLYWOOD	1/2" PARTICLE BOARD, FULLY CAPTIVE.	1/2" PLYWOOD, FULLY CAPTIVE.
TOEKICKS	1/2" PARTICLE BOARD BACKER INTENDED TO BE COVERED WITH 1/4" TOEKICK STRIP UPON INSTALLATION. TOEKICKS ARE 4" HIGH.	1/2" PLYWOOD BACKER INTENDED TO BE COVERED WITH 1/4" TOEKICK STRIP UPON INSTALLATION. TOEKICKS ARE 4" HIGH.	1/2" PARTICLE BOARD BACKER INTENDED TO BE COVERED WITH 3/4" TOEKICK STRIP UPON INSTALLATION. TOEKICKS ARE 4.5" HIGH	1/2" PLYWOOD BACKER INTENDED TO BE COVERED WITH 3/4" TOEKICK STRIP UPON INSTALLATION. TOEKICKS ARE 4.5" HIGH
SHELVES	3/4" PARTICLE BOARD WITH NATURAL MAPLE MELAMINE ON BOTH FACES, PVC EDGEBANDED FRONT EDGE. SHELVES ARE ADJUSTABLE IN 32mm INCREMENTS. MATCHING FINISHED INTERIORS WILL USE 3/4" PLYWOOD WITH SPECIE SPECIFIC VENEER ON BOTH FACES AND FRONT EDGE. SHELF RESTS ARE BRASS PINS.	3/4" PLYWOOD WITH NATURAL FINISH ON BIRCH/MAPLE WOOD VENEER. WOOD VENEER EDGEBANDED FRONT EDGE. SHELVES ARE ADJUSTABLE IN 32mm INCREMENTS. MATCHING FINISHED INTERIORS WILL USE 3/4" PLYWOOD WITH SPECIE SPECIFIC VENEER ON BOTH FACES AND FRONT EDGE. SHELF RESTS ARE BRASS PINS.	3/4" PARTICLE BOARD, PVC EDGEBANDED FRONT EDGE. MATCHES INTERIOR. SHELF RESTS ARE CLEAR PLASTIC LOCKING. ADJUSTABLE IN 32mm INCREMENTS. MATCHING FINISHED INTERIORS WILL USE 3/4" PLYWOOD WITH SPECIE SPECIFIC VENEER ON BOTH FACES AND FRONT EDGE.	3/4" PLYWOOD, WOOD VENEER EDGEBANDED FRONT EDGE. MATCHES INTERIOR. SHELF RESTS ARE CLEAR PLASTIC LOCKING. ADJUSTABLE IN 32mm INCREMENTS. MATCHING FINISHED INTERIORS WILL USE 3/4" PLYWOOD WITH SPECIE SPECIFIC VENEER ON BOTH FACES AND FRONT EDGE.

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

DRAWERS	<p>STANDARD DRAWER IS 5/8" THICK FOUR SIDED DOVETAILED DRAWER BOX IN SOLID SOFT MAPLE WITH EASED TOP EDGE AND 1/4" PLYWOOD BOTTOM. OPTIONAL 3/4" CONSTRUCTION. THE GLIDE IS A FULL EXTENSION SOFT CLOSE UNDERMOUNT. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>	<p>STANDARD DRAWER IS 5/8" THICK FOUR SIDED DOVETAILED DRAWER BOX IN SOLID SOFT MAPLE WITH EASED TOP EDGE AND 1/4" PLYWOOD BOTTOM. OPTIONAL 3/4" CONSTRUCTION. THE GLIDE IS A FULL EXTENSION SOFT CLOSE UNDERMOUNT. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>	<p>STANDARD DRAWER IS 5/8" THICK FOUR SIDED DOVETAILED DRAWER BOX IN SOLID SOFT MAPLE WITH EASED TOP EDGE AND 1/4" PLYWOOD BOTTOM. OPTIONAL 3/4" CONSTRUCTION. THE GLIDE IS A FULL EXTENSION SOFT CLOSE UNDERMOUNT. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>	<p>STANDARD DRAWER IS 5/8" THICK FOUR SIDED DOVETAILED DRAWER BOX IN SOLID SOFT MAPLE WITH EASED TOP EDGE AND 1/4" PLYWOOD BOTTOM. OPTIONAL 3/4" CONSTRUCTION. THE GLIDE IS A FULL EXTENSION SOFT CLOSE UNDERMOUNT. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>
ROLL-OUT TRAYS	<p>5/8" THICK FOUR SIDED DOVETAILED BOX DRAWER IN SOLID SOFT MAPLE WITH EASED TOP EDGE. BOTTOMS ARE 1/4" PLYWOOD. AVAILABLE IN 2 3/16" AND 6" HEIGHTS. GLIDES ARE STANDARD AS FULL EXTENSION SOFT CLOSE UNDERMOUNT. ALL ROLLOUTS ARE FACTORY INSTALLED ON A VERTICAL ADJUSTMENT SYSTEM. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE. OPTIONAL 3/4" CONSTRUCTION.</p>	<p>5/8" THICK FOUR SIDED DOVETAILED BOX DRAWER IN SOLID SOFT MAPLE WITH EASED TOP EDGE. BOTTOMS ARE 1/4" PLYWOOD. AVAILABLE IN 2 3/16" AND 6" HEIGHTS. GLIDES ARE STANDARD AS FULL EXTENSION SOFT CLOSE UNDERMOUNT. ALL ROLLOUTS ARE FACTORY INSTALLED ON A VERTICAL ADJUSTMENT SYSTEM. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE. OPTIONAL 3/4" CONSTRUCTION.</p>	<p>5/8" THICK FOUR SIDED DOVETAILED BOX DRAWER IN SOLID SOFT MAPLE WITH EASED TOP EDGE. BOTTOMS ARE 1/4" PLYWOOD. AVAILABLE IN 2 3/16" AND 6" HEIGHTS. GLIDES ARE STANDARD AS FULL EXTENSION SOFT CLOSE UNDERMOUNT. ALL ROLLOUTS ARE FACTORY INSTALLED ON A VERTICAL ADJUSTMENT SYSTEM. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>	<p>5/8" THICK FOUR SIDED DOVETAILED BOX DRAWER IN SOLID SOFT MAPLE WITH EASED TOP EDGE. BOTTOMS ARE 1/4" PLYWOOD. AVAILABLE IN 2 3/16" AND 6" HEIGHTS. GLIDES ARE STANDARD AS FULL EXTENSION SOFT CLOSE UNDERMOUNT. ALL ROLLOUTS ARE FACTORY INSTALLED ON A VERTICAL ADJUSTMENT SYSTEM. OTHER UPGRADED WOOD SPECIES AND GLIDES AVAILABLE.</p>

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

HINGES	EUROPEAN CONCEALED HINGE FOR 1/2" AND 1 1/4" OVERLAYS. KNIFE HINGE IN WHITE OR ANTIQUE BRASS FOR 3/8" INSET. EUROPEAN CONCEALED HINGE WITH SOFT CLOSE FOR BEADED INSET OR PLAIN INSET. MINARET HINGES ARE ALSO AVAILABLE FOR INSET STYLES.	EUROPEAN CONCEALED HINGE FOR 1/2" AND 1 1/4" OVERLAYS. KNIFE HINGE IN WHITE OR ANTIQUE BRASS FOR 3/8" INSET. EUROPEAN CONCEALED HINGE WITH SOFT CLOSE FOR BEADED INSET OR PLAIN INSET. MINARET HINGES ARE ALSO AVAILABLE FOR INSET STYLES.	EUROPEAN CONCEALED HINGE. OPTIONAL SOFT CLOSE.	EUROPEAN CONCEALED HINGE. OPTIONAL SOFT CLOSE.
OVERLAYS	1/2" OVERLAY, 1 1/4" OVERLAY, 3/8" PARTIAL INSET, 1/4" BEADED INSET, 3/8" BEADED INSET, PLAIN INSET, OGEE INSET, V-BEAD INSET.	1/2" OVERLAY, 1 1/4" OVERLAY, 3/8" PARTIAL INSET, 1/4" BEADED INSET, 3/8" BEADED INSET, PLAIN INSET, OGEE INSET, V-BEAD INSET.	DOORS SIZED FOR 1/16" REVEAL (1/8" BETWEEN ADJACENT DOORS OR DRAWERS).	DOORS SIZED FOR 1/16" REVEAL (1/8" BETWEEN ADJACENT DOORS OR DRAWERS).
FINISHES	STAINS, GLAZES, COLORTONES, COLORTONES WITH GLAZES, PRISM PAINTS, STAIN MATCHES, HEIRLOOM FINISH, DISTRESSING, WEAR SANDING, ANTIQUING. ALL COLORS IN SHERWIN WILLIAMS FAN DECK.	STAINS, GLAZES, COLORTONES, COLORTONES WITH GLAZES, PRISM PAINTS, STAIN MATCHES, HEIRLOOM FINISH, DISTRESSING, WEAR SANDING, ANTIQUING. . ALL COLORS IN SHERWIN WILLIAMS FAN DECK.	THERMOFOIL, DECORATIVE LAMINATE VENEER (DLV), STAINS, GLAZES, COLORTONES, COLORTONES WITH GLAZES, PRISM PAINTS, STAIN MATCHES, HEIRLOOM FINISH, DISTRESSING, WEAR SANDING, ANTIQUING. . ALL COLORS IN SHERWIN WILLIAMS FAN DECK.	STAINS, GLAZES, COLORTONES, COLORTONES WITH GLAZES, PRISM PAINTS, STAIN MATCHES, HEIRLOOM FINISH, DISTRESSING, WEAR SANDING, ANTIQUING. . ALL COLORS IN SHERWIN WILLIAMS FAN DECK.

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

ENVIRONMENTAL	OPTIONAL ULTRA GREEN (FORMALDEHYDE-FREE PLYWOOD). OPTIONAL RENEWANBE RESOURCE WOOD SPECIES (BAMBOO AND LYPTUS).	OPTIONAL ULTRA GREEN (FORMALDEHYDE-FREE PLYWOOD). OPTIONAL RENEWANBE RESOURCE WOOD SPECIES (BAMBOO AND LYPTUS).	OPTIONAL ULTRA GREEN (FORMALDEHYDE-FREE PLYWOOD). OPTIONAL RENEWANBE RESOURCE WOOD SPECIES (BAMBOO AND LYPTUS).	OPTIONAL ULTRA GREEN (FORMALDEHYDE-FREE PLYWOOD). OPTIONAL RENEWANBE RESOURCE WOOD SPECIES (BAMBOO AND LYPTUS).
DELUXE ENDS	APPLIED DOOR WAINSCOT, INTEGRAL WAINSCOT, FRAME AND DOOR WAINSCOT, BEADED SIDES, HUTCH SIDES	APPLIED DOOR WAINSCOT, INTEGRAL WAINSCOT, FRAME AND DOOR WAINSCOT, BEADED SIDES, HUTCH SIDES	APPLIED DOORS AVAILABLE FACTORY INSTALLED OR FIELD INSTALLED. DOORS SIZED THE SAME AS CABINET FACE.	APPLIED DOORS AVAILABLE FACTORY INSTALLED OR FIELD INSTALLED. DOORS SIZED THE SAME AS CABINET FACE.
DOOR OFFERING	46 NAMED STANDARDS WITH CUSTOM OPTIONS.	46 NAMED STANDARDS WITH CUSTOM OPTIONS.	4 THERMOFOIL DESIGNS, 5 DECROATIVE LAMINATE VENEER DESIGNS, 46 NAMED WOOD STANDARDS WITH CUSTOM OPTIONS.	46 NAMED STANDARDS WITH CUSTOM OPTIONS.
ACCESSORIES	REV-A-SHELF, HAFELE ALL FACTORY INSTALLED	REV-A-SHELF, HAFELE ALL FACTORY INSTALLED	REV-A-SHELF, HAFELE ALL FACTORY INSTALLED	REV-A-SHELF, HAFELE ALL FACTORY INSTALLED
TRIM OFFERING	ALL STOCK AND SPECIAL ORDER PROFILES. SPECIAL LENGTHS AVAILABLE. SOME LIMITS ON PROFILES AVAILABLE IN PARTICULAR WOOD SPECIES.	ALL STOCK AND SPECIAL ORDER PROFILES. SPECIAL LENGTHS AVAILABLE. SOME LIMITS ON PROFILES AVAILABLE IN PARTICULAR WOOD SPECIES.	ALL STOCK AND SPECIAL ORDER PROFILES. SPECIAL LENGTHS AVAILABLE. SOME LIMITS ON PROFILES AVAILABLE IN PARTICULAR WOOD SPECIES. THERMOFOIL AND DLV MOLDINGS IN THEIR OWN DESTINCTIVE PROFILES.	ALL STOCK AND SPECIAL ORDER PROFILES. SPECIAL LENGTHS AVAILABLE. SOME LIMITS ON PROFILES AVAILABLE IN PARTICULAR WOOD SPECIES.

Wellsford Cabinetry Product Specifications

(Most door styles and Finishes are interchangeable between Frameless and ProLine / Designer.)

WOOD SPECIES	RED OAK SOFT MAPLE HARD MAPLE HICKORY CHERRY PAINT GRADE ALDER CARAMELIZED BAMBOO RED BIRCH WHITE BIRCH LYPTUS WHITE OAK KNOTTY PINE WALNUT MAHOGANY RUSTIC KNOTTY ALDER RUSTIC KNOTTY CHERRY RUSTIC KNOTTY HARD MAPLE RUSTIC KNOTTY RED OAK RUSTIC KNOTTY HICKORY QUARTER SAWN RED OAK	RED OAK SOFT MAPLE HARD MAPLE HICKORY CHERRY PAINT GRADE ALDER CARAMELIZED BAMBOO RED BIRCH WHITE BIRCH LYPTUS WHITE OAK KNOTTY PINE WALNUT MAHOGANY RUSTIC KNOTTY ALDER RUSTIC KNOTTY CHERRY RUSTIC KNOTTY HARD MAPLE RUSTIC KNOTTY RED OAK RUSTIC KNOTTY HICKORY QUARTER SAWN RED OAK	RED OAK SOFT MAPLE HARD MAPLE HICKORY CHERRY PAINT GRADE ALDER CARAMELIZED BAMBOO RED BIRCH WHITE BIRCH LYPTUS WHITE OAK KNOTTY PINE WALNUT MAHOGANY RUSTIC KNOTTY ALDER RUSTIC KNOTTY CHERRY RUSTIC KNOTTY HARD MAPLE RUSTIC KNOTTY RED OAK RUSTIC KNOTTY HICKORY QUARTER SAWN RED OAK THERMOFOIL DECORATIVE LAMINATE VENEER	RED OAK SOFT MAPLE HARD MAPLE HICKORY CHERRY PAINT GRADE ALDER CARAMELIZED BAMBOO RED BIRCH WHITE BIRCH LYPTUS WHITE OAK KNOTTY PINE WALNUT MAHOGANY RUSTIC KNOTTY ALDER RUSTIC KNOTTY CHERRY RUSTIC KNOTTY HARD MAPLE RUSTIC KNOTTY RED OAK RUSTIC KNOTTY HICKORY QUARTER SAWN RED OAK FIGURED ANIGRE WENGE ZEBRAWOOD MACASSAR EBONY
--------------	--	--	---	--

Wellsford Cabinetry, 1810 West High St., Stowe PA
 610.326.5700 610.326.5744 fax
 December 2010